

| Botanical Name | Common Name | Soil Moisture | | |
|---------------------------------------|-------------------------|---------------|--------|-----|
| | | Wet* | Medium | Dry |
| Flowering Plants | | | | |
| <i>Amsonia tabernaemontana</i> | Eastern Bluestar | x | x | |
| <i>Amsonia hubrichtii</i> | Arkansas Bluestar | | x | x |
| <i>Baptisia alba</i> | White False Indigo | | x | x |
| <i>Baptisia australis</i> | Blue False Indigo | x | x | x |
| <i>Echinacea purpurea</i> | Purple Coneflower | | x | x |
| <i>Echinacea pallida</i> | Pale Coneflower | | x | x |
| <i>Eryngium yuccifolium</i> | Rattlesnake Master | | x | x |
| <i>Helianthus angustifolius</i> | Swamp Sunflower | x | x | |
| <i>Helianthemum helianthoides</i> | False Sunflower | | x | x |
| <i>Liatris spicata</i> | Dense Blazing Star | x | x | |
| <i>Lilium superbum</i> | Turk's Cap Lily | x | x | |
| <i>Monarda fistulosa</i> | Oswego Tea | | x | x |
| <i>Monarda didyma</i> | Beebalm | x | x | |
| <i>Pycnanthemum muticum</i> | Clustered Mountain Mint | x | x | |
| <i>Ratidiba pinnata</i> | Gray-headed Coneflower | | x | x |
| <i>Rudbeckia fulgida var. fulgida</i> | Orange Coneflower | | x | x |
| <i>Symphotrichum nova-angliae</i> | New England Aster | x | x | |
| <i>Symphotrichum oblongifolius</i> | Aromatic Aster | | x | x |
| <i>Tradescantia ohioensis</i> | Ohio Spiderwort | x | x | |
| <i>Zizia aurea</i> | Golden Alexander | | | |

| Grasses & Sedges for Meadows | | | | |
|---|------------------|---|---|---|
| <i>Andropogon gerardii</i> | Big Bluestem | | x | x |
| <i>Bouteloua curtipendula</i> | Side Oats Grama | | x | x |
| <i>Muhlenbergii capillaris</i> | Pink Muhly | x | x | |
| <i>Sorghastrum nutans</i> | Indiangrass | x | x | x |
| <i>Sporobolis heterolepis</i> | Prairie Dropseed | | x | x |

* Wet includes damp to wet soils